

MATERIAL SAFETY DATA MSDS No. 6011

**Date: 12/12/08
 Supercedes: N/A**

PRODUCT IDENTIFICATION

PRODUCT NAME: "ACTIVATED" Chemiluminescent Product
(Reverse Oxalate Component) All Colors

SYNONYMS: All products **EXCEPT** 6",10",12" Snaplight brand
products with an expiration date of Nov 2012 or later.

CHEMICAL FAMILY: Plastic article containing chemiluminescer and
 activator components.

MOLECULAR FORMULA: Mixture

MOLECULAR WEIGHT.: Mixture

COMPOSITION

Component	C.A.S. #	Weight %
Polyethylene	9002-88-4	35-56%
Glass	-----	12-13%
Chemiluminescer	-----	24-30%
Activator	-----	19-24%

OSHA REGULATED COMPONENTS

COMPONENT	C.A.S. #	Weight%	TWA/CEILING	REFERENCE
tert-Butyl alcohol	75-65-0	2-3%	100 ppm 150 ppm STEL	OSHA/ACGIH
Dimethyl phthalate	131-11-3	15-20%	5 mg/m ³	OSHA/ACGIH
Hydrogen peroxide 70%	7722-84-1	0.5-0.7%	1.4 mg/m ³	OSHA/ACGIH

NFPA HAZARD RATING

1 FIRE: Material that must be preheated before ignition can occur.
 0 HEALTH: Materials that on exposure under fire conditions would offer no
 hazard beyond that of ordinary combustible material.
 0 REACTIVITY: Materials that in themselves are normally stable, even under fire
 exposure conditions, and which are not reactive with water.

HEALTH HAZARD INFORMATION

EFFECTS OF OVEREXPOSURE: Overexposure to chemical ingredients is not likely to cause significant acute toxic effects. The acute oral (rat) and acute dermal (rabbit) LD50 values are greater than 5 g/kg for the luminescer, activator, fresh mixture, and spent mixture. Upon accidental eye exposure, material should be immediately rinsed from the eyes. No significant skin irritation was observed during animal testing.

FIRST AID

In case of eye contact, immediately irrigate with plenty of water for 15 minutes. Obtain medical attention if irritation persists.

**EXPOSURE
CONTROL METHODS**

Engineering controls are not usually necessary if good hygiene practices are followed. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. Impervious gloves are recommended to prevent prolonged skin contact. For operations where eye or face contact can occur, eye protection is recommended. Where exposures are below the Permissible Exposure Limit (PEL), no respiratory protection is required. Where exposures exceed the PEL, use respirator approved by NIOSH for the material and level of exposure. See "GUIDE TO INDUSTRIAL RESPIRATORY PROTECTION" (NIOSH).

**FIRE AND
EXPLOSION
HAZARD
INFORMATION**

FLASH POINT: >200°F (93.3°C)
METHOD: Closed Cup

FIRE FIGHTING: Use water spray, carbon dioxide or dry chemical to extinguish fires. Use water to keep containers cool. Wear self-contained positive pressure breathing apparatus.

**REACTIVITY
DATA**

STABILITY: Stable
CONDITIONS TO AVOID: None known

POLYMERIZATION:
CONDITION TO AVOID: Will Not Occur
None known

INCOMPATIBLE
MATERIALS: None known

HAZARDOUS
DECOMPOSITION
PRODUCTS: Thermal decomposition or combustion may produce carbon monoxide and/or carbon dioxide

**PHYSICAL
PROPERTIES**

APPEARANCE: Article consisting of plastic tube or shape containing broken glass ampoule after activation with oxalate component.

BOILING POINT: N.A.

MELTING POINT: 260 °C

VAPOR PRESSURE : N.A.

SPECIFIC GRAVITY: < Water

VAPOR DENSITY: N.A.

% VOLATILE (BY VOL.): N.A.

pH: N.A.

SATURATION IN AIR
(BY VOL.) N.A.

EVAPORATION RATE: N.A.

SOLUBILITY IN WATER: Negligible

SPILL OR LEAK PROCEDURES

container.

STEPS TO BE TAKEN IN
CASE MATERIAL ISCover spills with inert absorbent material;
sweep up and place in waste disposal

RELEASED OR SPILLED:

WASTE DISPOSAL

Disposal must be made in accordance with applicable governmental regulations.

SPECIAL PRECAUTIONSHANDLING AND
STORAGE/OTHER:

NONE

D.O.T. SHIPPING INFORMATIONPROPER SHIPPING
NAME:

NOT APPLICABLE

HAZARD CLASS:

NOT APPLICABLE

UN/NA:

NOT APPLICABLE

D.O.T. HAZARDOUS
SUBSTANCES:(Reportable quantity of product)
Dimethyl Phthalate (5000 lbs)

D.O.T. LABEL REQUIRED:

NOT APPLICABLE

TSCA INFORMATION

This product is manufactured in compliance with all provisions of the Toxic Substances Control Act, 15 U.S.C.

ENVIRONMENTAL INFORMATION

Wastes that are classified as hazardous waste are potentially subject to the RCRA Land Disposal Restrictions. The Land Disposal Restriction regulations are contained in 40 CFR 268. Only waste which meet the regulatory definition of a hazardous waste are subject to the land disposal restrictions.

Activated light sticks do not meet the definition of a Characteristic Hazardous Waste and therefore, under the regulations, can be disposed of as a solid waste in solid waste landfills and incinerators unless prohibited by site-specific solid waste facility restriction.

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification. Before using any product, read its label.